## CO<sub>2</sub> as "Carbon DiLoopy:" Boosting People's Global Warming Acceptance and Concern by Explaining CO<sub>2</sub>'s Cognitive Effects

#### Alexander Kihiczak (akihiczak@berkeley.edu)

Cognitive Science, 101 Stephens Hall University of California, Berkeley, CA 94720-2306 USA

#### Michael Andrew Ranney (ranney@berkeley.edu)

Berkeley School of Education, Cognitive Science, & Department of Psychology, 2121 Berkeley Way, Rm. 4108 University of California, Berkeley, CA 94720-1670 USA

#### **Abstract**

The public is united in understanding neither global warming's (GW's) causes nor its urgency. This experiment assesses a novel text (informally called "Carbon DiLoopy") intended to spawn science-normative changes in people's GW beliefs by explaining rising CO2's negative cognitive effects—without mentioning GW or climate change. Thus, it represents an indirect way to increase GW concern. Two control/replication texts explained (a) the carbon cycle and (b) human-caused GW's scientific consensus. All texts, containing roughly 400words each, were assessed regarding their impacts in changing GW beliefs and attitudes. The carbon-cycle control text yielded expected null results. The scientific-consensus text caused gains in general concern about rising atmospheric CO<sub>2</sub>, and replicating past studies—in GW acceptance and concern. The novel diLoopy text induced gains in all three measured concern/acceptance dimensions: (1) CO2's effects on cognition, (2) rising CO<sub>2</sub> in general, and (3) GW. We also found no evidence of backfire or polarization effects.

**Keywords:** CO<sub>2</sub> and cognition; global climate change; global warming; carbon dioxide; CO<sub>2</sub> health impacts; belief change; CO<sub>2</sub>; science communication; HowGlobalWarmingWorks.org

#### Introduction

Climate change's ever more profound impacts (IPCC, 2022) threaten humans in many ways. It is crucial, then, that people understand human-caused global warming (GW), climate change's underlying driver, so that they may inhibit it (e.g., Ranney et al., 2012 & 2019). U.S. public understanding of GW, though, and opinion about its seriousness, varies widely (Ballew et al., 2019). A void exists in laypeople's understanding of even GW's central physical mechanism (e.g., Ranney & Clark, 2016; Joslyn & Demnitz, 2021). GWfocused news articles often fail to convey crucial facts about the basic climate science mechanisms (Romps & Retzinger, 2019). More rigorous and effective governmental action to combat GW's negative impacts will likely result when public opinions/beliefs better reflect GW's science. Successfully urging people to adopt an alternative understanding or attitude that conflicts with a prior one is not easy, but is possible—as when the alternative is novel, surprising, and highly germane (e.g., Ranney et al., 2012). Much progress has been made in fostering such belief revisions. For instance, Ranney and colleagues have developed 12 brief (i.e., about five minutes or less) ways to increase GW acceptance and

concern (e.g., ten ways are described in Ranney & Velautham, 2021; Velautham, 2022, describes two more).

The present experiment focuses on a new, indirect, vector for aiding climate change conceptual change: rising CO<sub>2</sub>'s cognitive impairment effects. This contrasts with the typical, direct, climatological (i.e., noncognitive) concern: that the large human-caused rise in atmospheric CO<sub>2</sub> (among other greenhouse gases) is causing an extra, not-natural, greenhouse effect. This extra greenhouse effect is global warming, which is the main driver of climate change impacts. CO<sub>2</sub> has risen 50% since the industrial age started—up from about 40% a decade ago—and the rise continues.

Our experiment focuses on an under-examined negative effect of higher CO<sub>2</sub>: its harm to human thinking abilities. This cognitive effect only recently became a serious scientific concern, so no notable prior research explores how much people might *care* that rising ambient CO<sub>2</sub> can reduce their capacity to think. This experiment focuses on whether people can be made to care (more) about CO<sub>2</sub>'s cognitive effects—and perhaps enough that such boosted caring might even transfer to caring more about *GW*. This is clearly an empirical question, because one could—alternatively—*just* come to worry about CO<sub>2</sub>'s effects on one's/society's thinking while *not* changing beliefs/caring about CO<sub>2</sub>'s *GW* effects.

Consider higher-CO2's link to impaired thinking. Higher-CO<sub>2</sub> indoor (usually unventilated) air has been shown to yield reductions in mental performance, including reasoning (e.g., Coley, Greeves, & Saxby, 2007; Shendell et al., 2004). Enclosed air has more concentrated CO<sub>2</sub> than outdoor air largely due to exhaled breaths remaining rather contained (Fisk, Wargocki, & Zhang, 2019; Satish et al., 2012)—and city-dwellers are indoors about 90% of the time (U.S. EPA, 2000). A body of evidence notes CO<sub>2</sub> as a pollutant with direct detrimental impacts on the cognitive functioning of people in schools and offices, where CO<sub>2</sub> is often highest (Fisk et al., 2019; Satish et al., 2012). CO2 levels in enclosed spaces with inadequate ventilation can result in reduced attention spans and lower test performance (Satish et al., 2012). High CO<sub>2</sub> can cause acidosis in people, causing restlessness, mild hypertension, sleepiness, and confusion (Xu et al., 2011). Even short-term exposure to CO<sub>2</sub> at 800 ppm (parts per million) is linked to Sick Building Syndrome, headaches, dizziness, fatigue—and respiratory tract, eye, nasal and mucous membrane symptoms (Seppänen, Fisk, &

Mendell, 1999). High CO<sub>2</sub> can reduce decision-making to marginal or even dysfunctional levels (Allen et al., 2016; Satish et al., 2012). Studies find significant, increasing, negative effects of CO<sub>2</sub> at levels between 1000 and 5000 ppm—levels often reached in enclosed spaces with subpar ventilation (e.g., Griffiths & Eftekharib, 2008; Kajtar & Herczeg, 2012; Scully et al., 2019; also see Jacobson, 2010).

CO<sub>2</sub> exposure's harm increases as CO<sub>2</sub> increases (e.g., Jacobson et al., 2019). Satish et al. (2012) found that people in elevated-CO<sub>2</sub> air—even at the 1000 ppm level—for 2.5 hours suffered significant negative effects on their thinking. Likewise, Allen et al. (2016) noted declines in people's activity and their ability to use information when exposed to CO<sub>2</sub> at 1000 ppm, compared to exposure at 500 ppm.

In December, 2022, Earth's atmospheric CO<sub>2</sub> was at 419 ppm, up 50% from the preindustrial 280 ppm (Scripps, 2022), which was already higher than when humans started using fire. This 419 ppm is significantly higher than any level during at least the last 3 million years (which is about tenfold longer than our species' existence), and CO<sub>2</sub> was below 400 ppm during the time that our brains evolved (NASA, 2023). Thus, it is possible that at least some people are already occasionally experiencing CO<sub>2</sub>-impaired cognition even when outside. Some outdoor urban areas have reported CO<sub>2</sub> as high as 500 ppm (Satish et al., 2012). By the year 2100, the air's CO<sub>2</sub> concentration could exceed 900 ppm (Collins et al., 2013; cf. the 800 mentioned above), more than tripling the preindustrial concentration. Further, all the studies cited above were short-duration experiments; there are no longterm exposure data at 400 (or 419 or 900) ppm, so our collective cognition may already be subtly suffering. Consider the U.S.'s estimated 2.6-point/person IQ loss attributed to lead (McFarland, Hauer, & Reuben, 2022).

Even if humans can keep outdoor CO<sub>2</sub> below 1000 ppm, that level will undercut efforts to curb indoor CO<sub>2</sub>. Reducing indoor CO<sub>2</sub> levels by ventilation with outdoor air requires extra energy (Azuma et al., 2018). Thus, reducing outside CO<sub>2</sub> increases is crucial to inhibiting *indoor* increases, too.

Although CO2 increases due to fossil-fuel burning may harm human cognition, pilot work indicated that few people see it as a perhaps-impending crisis. Finding a way to inform people of CO2's cognitive dangers may yield transfer to more acknowledgement, acceptance, and concern about global warming's causes and effects: someone who becomes more worried about CO2 emissions due to their adverse effects on one's mental health/performance may also come to favor more actions inhibiting climate change—as raised CO<sub>2</sub> is bad for both one's brain and Earth's temperature. Such climaterelevant "conceptual bedfellows" are not rare: people often try to save energy just to save money. The new US "controversy" about phasing out gas stoves is another example. Gas stoves produce more greenhouse gases and thus GW than electric stoves, and are bad for one's healthespecially in small homes or when people work/sleep near the stove; gas stoves even make NO<sub>X</sub> pollutants and often leak methane (Lebel et al., 2022) and carcinogens (e.g., benzene), causing 13% of childhood asthma (Gruenwald et al., 2023).

Recently, Ranney and Velautham (2021) reviewed ways to change minds to nurture greater public fact-based climate-science literacy. When people get clear information about GW's basics (especially when it surprises them), they (a) gain a better climatological understanding, and (b) move their position more toward GW acceptance and further from GW denial (e.g., Ranney, Munnich, & Lamprey, 2016).

Mechanistic explanations help present information in ways that do not devolve into evidentiary claims—so using them supports learners' reasoning (Fernbach et al., 2013). Mechanistic knowledge, especially about GW, is crucial in assessing a specific scientific position's acceptability. Ranney and Clark (2016) indicated that mechanistic accounts (a) help people gain science-normative understandings and attitudes, (b) can "break ties" among debated positions if prior information yielded ambivalence, and (c) are persuasive because they explicate causal relationships (and human-caused GW's scientific mechanism has no alternative causal mechanism to counter it that is even remotely sensical).

Little scientific explanation reaches the public about the mechanism of how climate change comes about (Romps & Retzinger, 2019), yet even brief explanations about GW's mechanism yield a cascade of belief revisions regarding GW knowledge, attitude, and acceptance (e.g., Ranney et al., 2016). Research by Ranney and Clark (2016) and others (e.g., Joslyn & Demnitz, 2021) shows that offering facts about the mechanisms of processes like GW effectively changes the minds of those who may otherwise remain entrenched with opposing beliefs that are disconfirmed by science.

Ranney and Clark (2016) showed that a short (400-word) text explaining GW's physical-chemical mechanism yielded gains in GW acceptance/concern—and the effect has been replicated several times (e.g., Joslyn & Demnitz, 2021; Ranney et al., 2019). Such GW gains have also resulted from less-textual modalities such as videos, statistics, and graphs (e.g., Ranney et al., 2019). (E.g., asking people to estimate GW statistics—and then giving them the true values as feedback—also increases GW knowledge/acceptance; Ranney & Clark, 2016; Thacker & Sinatra, 2022.) Other work has used *less mechanistic* texts to increase people's GW acceptance and concern: Senthilkumaran, Velautham, and Ranney (2023), successfully used (brief and very-brief) texts about why climate scientists should be trusted. Likewise, one of Velautham, Ranney, and Brow's (2019) conditions provided a text about sea level rise's economic impact. The present experiment also uses a text in its focal conditions as it explains the negative health effects, especially cognitive effects, of higher–CO<sub>2</sub> air—including prose explaining some mechanisms causing these effects.

An improved understanding of one scientific process may prompt science-normative changes in other, related, beliefs. For instance, explaining the mechanism of *alternative* (i.e., cognitive) CO<sub>2</sub> risks to people who *deny* GW may lead them to a more *common* understanding of CO<sub>2</sub>'s risks (i.e., *GW*).

In the present experiment, we assessed whether it is possible to change people's (a) acceptance/concern about GW and (b) concern about human-caused CO<sub>2</sub> emissions—

by providing them with a specific scientific text pertaining to: (1) CO<sub>2</sub>'s negative impacts on health and certain *cognitive* faculties, and (2) scientific information that atmospheric CO<sub>2</sub> is rising to dangerous concentrations regarding these concerns. We mnemonically call this the "carbon diLoopy" text (in that the O's are two loops and that too much CO<sub>2</sub> makes one feel "loopy").

Precedents exist for *indirectly* boosting GW acceptance (e.g., Velautham et al., 2019). In a salient example, Ranney et al. (2019) showed that GW acknowledgement/concern increases after people get true numeric feedback about estimates *they made* for supra-nationalistic statistics (i.e., statistics that make Americans less nationalistic; e.g., "Where does the U.S. rank for national debt?" ["first"]). "Global warming" was mentioned neither in their nationalism intervention, *nor* in the present diLoopy intervention. (Stemming from Reinforced Theistic Manifest Destiny theory [RTMD; Ranney, 2012], the inverse relationship between nationalism and GW acceptance is bi-causal: increasing participants' GW acceptance conversely causes a drop in nationalism [in various ways; Ranney et al., 2019].)

Along with assessing the novel diLoopy text's efficacy in changing minds about GW and its consequences, we assess the effects of two other texts that serve control, comparative, and/or replicative roles. We thus used three texts: The first text, carbon diLoopy (see Appendix), explains the potentially damaging health impacts of high-CO<sub>2</sub>-density air especially on cognitive ability; the precise CO<sub>2</sub>-cognition link is not yet known, but diLoopy includes mechanistic elements (e.g., that breathing high CO2-level air can cause acidosis, "leading to symptoms like restlessness, [...] hypertension, [...] sleepiness, and confusion"). The second text, "carbon cycle," explains how carbon gets in and out of the atmosphere—without mention of GW, climate change, or rising atmospheric CO<sub>2</sub>'s dangers (other than quite indirectly by noting that burning fossil fuels yields CO<sub>2</sub>); this cycle text allows us to assess whether a focused discussion of carbon alone may subtly contribute to greater awareness/concern about emitting it into the air, thus acting as a pure, yet content-relevant, control. The third, "GW scientific consensus," text explains scientists' broad agreement about GW's real threat and the basis of that consensus; this text is inspired by similar texts used effectively in climate science communication studies (e.g., Lewandowsky, Gignac, & Vaughan, 2013; van der Linden et al., 2014), and it is thus a kind of comparative-replicative control condition (i.e., we hoped to replicate the effect and we can compare other effects to it). This consensus text has no discussion of CO<sub>2</sub>'s dangers beyond its climate-change role as a greenhouse gas. This replicative intervention also acts as an experimenter-demand control (cf. diLoopy) to assess whether explaining GW's scientific consensus also impacts one's beliefs about the tangentially-related phenomena of anthropogenic CO2 release as a cognitive health issue.

These texts support three main hypothesis-sets. The first set is that, of the three interventions, the carbon diLoopy text explaining rising atmospheric-CO<sub>2</sub> concentrations' negative

cognitive impacts will yield (a) the only increase in concern about CO2's impact on thinking (and the other two texts will not; i.e., a selective effect), (b) increased GW acceptance and concern, and (c) increased *general* concern about rising CO<sub>2</sub>. Turning to the consensus text's intervention, we predict that reading about the robust scientific consensus behind humancaused GW will (d) increase GW acceptance-and-concern, (e) increase concern about rising atmospheric CO<sub>2</sub> generally, but (f) will not lead to increased concern about rising CO2's impact on thinking. Finally turning to the carbon cycle text, we hypothesize that its information will act as a control, yielding no significant gains. (Note: As described below, we designed four conditions; the diLoopy text is used in both posttest-only and pretest-posttest versions to assess betweengroup changes and the—thankfully, unsupported—prospect of an experimenter demand effect.)

A final hypothesis is that, as Ranney et al. have found (e.g., Ranney & Clark, 2016; Ranney et al., 2019; Velautham et al., 2019) there will *not* be a significant correlation between gains and participants' levels of conservatism. A correlation would suggest a backfire/polarization effect (Lord, Ross, & Lepper, 1979), whereas the lack would again show that conservatives gain from the intervention just as much as liberals do.

#### Method

#### **Participants**

We recruited 714 participants through Amazon's Mechanical Turk (MTurk) service; each had acceptably completed 50 or more (at least minor) MTurk projects ("HITs") with approval ratings over 94% from that work. One was excluded/replaced if (a) one was not from the U.S., (b) one's intervention text "reading-time" seemed super-human, (c) one's response variation on Likert-scale items indicated a non-engaged participant, (d) one's written responses (not analyzed here) were nonsensical/irrelevant, or (e) one failed "softer" (e.g., attention) checks that summed to four or more. After these criteria, 431 participants from the U.S. were retained (and each received only one intervention-text). Participants were 108 +/- 3 per condition; see their by-group assortment below.

#### Stimuli (Texts)

The three stimulus-texts explained the carbon *cycle* (433 words), the scientific *consensus* on anthropogenic GW (391 words), or the damaging health impacts of elevated CO<sub>2</sub> levels—especially on *cognitive ability* (carbon *diLoopy*, 450 words). Only the consensus text mentions "global warming," "warming," or "climate change" (nine times in all); neither the diLoopy nor cycle texts *ever* uses those three terms. In contrast, the diLoopy text uses "carbon dioxide" (or CO<sub>2</sub>) 19 times, while the other two texts use it only once. In further contrast, neither the diLoopy nor consensus texts ever mention "carbon" by itself (i.e., not as part of carbon dioxide or CO<sub>2</sub>), whereas the cycle text mentions "carbon" by itself 20 times. Given space constraints, the Appendix includes only the novel diLoopy text; the other two texts are similar to ones available elsewhere. (NB. The consensus text melded

GW prose and numeric information; for related uses of such information see, e.g., Ranney & Clark, 2016, Ranney et al., 2012, Ranney et al., 2019, Ranney & Velautham, 2021, and Thacker & Sinatra, 2022.)

#### **Design and Procedure**

Participants gave (IRB-approved) informed consent, agreed to read all materials, and affirmed U.S. residency. They then answered three unrelated items on grammar and arithmetic, to inhibit hypothesis-guessing and aid exclusion efforts (re: attention, etc.). Participants were randomly assigned to one of four groups that differed in their intervention-text and whether a pretest was given. Table 1 shows the experimental design. To focus on between-group contrasts (which are often seen as preferred, given possible sensitivity/demand-effect concerns), only the "sandwiched-diLoopy" condition received both pretest and posttest measures (with the text as "jam" between the tests' "bread"). Its pretest served as a baseline for within-participant gains and (for the other conditions) between-group gains. Thus, cycle participants (105 post-exclusions; group 1) had no pretest, read the carbon cycle text ("C-Cycle" in Table 1), and received a posttest. Consensus participants (108 post-exclusions; group 2) had no pretest, read the scientific consensus text ("GW-Consensus"), and received a posttest. The open-faced-diLoopy (as in "open-faced sandwich") condition (107 post-exclusions; group 3) had no pretest, read the cognitive impacts of CO2 text (diLoopy), and received a posttest. The sandwicheddiLoopy condition (111 post-exclusions; group 4) received this study's only pretest, read the cognitive impacts of CO<sub>2</sub> text (diLoopy), and (like the others) received a posttest.

Table 1: Design (with diLoopy = cognitive impairment text)

Group:	1/Cycle	2/Consensus	3/diLoopy	4/diLoopy
	(Open)	(Open)	(Open)	(Sandwich)
Pretest:	-	-	-	yes
Text:	C-Cycle	GW-Consensus	diLoopy	diLoopy
Posttest:	yes	yes	yes	yes

Pretests and posttests contained 20 Likert scale items on 1-7 scales, assessing agreement with statements across three metrics: (1) 12 items (used in many prior studies) addressed *GW* concern, attitudes, and acceptance (e.g., "I am concerned about the effects of human-caused global warming"); (2) five items regarded *general* beliefs and concern about CO<sub>2</sub> increasing in the atmosphere (e.g., "The amount of carbon dioxide (CO<sub>2</sub>) in the atmosphere is higher today than 200 years ago"); and (3) three items related to concerns about CO<sub>2</sub> on aspects of *cognitive performance in particular* (e.g., "I am concerned that rising carbon dioxide (CO<sub>2</sub>) concentrations will affect my ability to think"). All measures had some negatively-worded items, and those numeric responses were reverse-coded. Several extra items were attention checks.

After the posttest, participants replied to some shortanswer queries—with one assessing their text-understanding. Next, they self-rated, on a 1-7 scale, how conservative (both socially and economically) they were. Finally, they wrote (albeit not analyzed herein) about experiences with any study that seemed similar to ours (which might disqualify them).

#### **Results and Discussion**

Means were compared across the four conditions and two testing times. Given this experiment's multiple comparisons, we used a Holm-Bonferroni experiment-wise error correction (with alpha = .05); reports herein of significance or non-significance are in keeping with that procedure. We now, in turn, assess each of our three dependent measures' results.

We start with the *thinking-impairment* measure's results. As predicted above, reading about CO<sub>2</sub> harming thinking (diLoopy) changed attitudes and concerns about such impairment: the text about CO2's dangerous cognitive impacts led to increased concern about how rising CO<sub>2</sub> can impair thinking. The most direct comparison (and our only within-group contrast) is between the pretest and posttest means from the sandwiched-diLoopy condition (with its text about CO2's cognitive downside)—and for that we see a large gain from 4.46 (SD = 1.48) to 5.66 (SD = 1.35). This +1.20point gain on the 1-7 Likert scale of agreement with cognition-related CO2 concern, is 47% of the possible gain from the pretest mean and is robustly statistically significant  $(t_{(106)} = 10.8; p < .00001)$ . (The open-faced-diLoopy posttest mean was a near-identical 5.63, and also robustly significant from 4.46, so no apparent experimenter demand was caused by the sandwich group having a pretest; indeed, for the other two measures [addressed below] the open-faced diLoopy means were both numerically higher—albeit no more than .1point higher—than the sandwich means—also indicating no experimenter-demand effects.) As also predicted above, the diLoopy text produced a selective cognitive effect in that it was the only text yielding a CO<sub>2</sub>-cognition-concern gain; the consensus and cycle groups' cognitive-concern posttests did not differ significantly from 4.46 (posttest M's: 4.64 and 4.66; p's > .3)—and both fell below the diLoopy posttest means ( $\sim$ 5.65 for open-faced and sandwiched; p's < .00001).

Turning to the measure assessing general CO<sub>2</sub> concern (not CO<sub>2</sub>'s *cognitive* concern), the sandwich-diLoopy group again exhibited a robustly significant pretest-to-posttest increase (i.e., after receiving the condition's CO2-reasoning-impacts text: +0.34;  $M_{post} = 6.08$  [SD =1.10] vs.  $M_{pre} = 5.74$  [SD =1.18];  $t_{(107)}$  = 5.69, p < .00001). Not surprisingly, given that CO<sub>2</sub> is the most famous greenhouse gas, the scientificconsensus text also significantly increased concern about  $CO_2$  in general (t = 2.93; p < .05)—even though  $CO_2$  is only mentioned once in the consensus text). The carbon-cycle control text, as predicted for all its measures, did not produce such a general-CO<sub>2</sub>-concern gain (p > .05, n.s.); indeed, the cycle text yielded gains on none of our measures, showing the carbon-cycle condition's aptness as a content-control. (Again, note that the diLoopy CO2-reasoning-impacts text mentions "carbon dioxide" or "CO2" 19 times while the consensus and carbon cycle texts each only do so once.)

Let's consider the final measure, regarding *global warming* acceptance and concern (i.e., about GW's most fundamental

and direct aspects); this may be the most practically important of the experiment's three measures. As predicted above, the diLoopy text showed higher acceptance/concern about global warming: the sandwich-diLoopy group yet again showed a significant gain (+.27;  $M_{post}$ = 5.96 [SD = 1.31] vs.  $M_{pre}$ = 5.69 [SD = 1.31];  $t_{(106)}$  = 4.57, p < .00001). This gain resulted even though the diLoopy text never used "warming," "global warming," or "climate change." Thus, the diLoopy intervention appears to have successfully exhibited transferof-training from increased concern about CO2's cognitive effect to increased GW concern. This is likely the most societally important of this experiment's three measures' results. Also as predicted (and replicating prior research), the scientific-consensus text with its warming-focused message--and the only text mentioning GW-also yielded a significantly high GW acceptance/concern posttest (to a mean of 6.17; p < .005). Posttest GW-concern for the carboncycle text, which had neither the diLoopy text's CO<sub>2</sub> focus nor the consensus text's GW focus, was not over baseline, even though "carbon" naturally plays a large role in climate change (p > .1, n.s.). Thus, for the GW measure, the carboncycle text was indeed a content-control for the other texts.

Finally, the sandwich-diLoopy condition showed that there was *no* significant correlation between size-of-gain and conservatism—for *any* of the three measures, and for *either* economic *or* social conservatism (all |r|'s < .141; p's > .1).

#### **General Discussion**

This experiment's most important findings stem from the *carbon diLoopy* text (see Appendix). Its factual explanation of potential cognitive/health declines due to rising CO<sub>2</sub> levels in the air increased (a) concern about CO<sub>2</sub>-driven cognitive declines, (b) concern about rising CO<sub>2</sub> in general, and (c) even concern and acknowledgement about *global warming* (GW). Perhaps most remarkable is the last part—that diLoopy yielded a transfer effect that increased GW acceptance/concern. That is, although explaining CO<sub>2</sub>'s cognitive impacts boosted concern about that overtly addressed issue, the text *also* yielded a gain for *GW* acceptance/concern even though GW was *never* mentioned.

Since the diLoopy text focuses only on circumscribed foreseeable effects of people's CO2 emissions—namely prospective harm to human thinking while not even mentioning GW or its consequences—our diLoopy textintervention shows a notable causal link between concern about rising CO2's negative mental repercussions and concern about GW. This result coheres with the effects of other interventions that do not directly deal with GW, such as inhibiting nationalism (or providing information about sea level rise), which have been shown to *indirectly* increase GW acceptance (Ranney et al., 2019; Velautham et al., 2019; Velautham & Ranney, 2020). Practically, diLoopy's transfer result indicates that the text may especially act as a persuasive tool to encourage those who mostly do not accept climate change's reality (or who even deny it outright) to become more concerned about both the rising CO2 and GW itselfand, even further, to support actions to address both.

This diLoopy-GW transfer effect replicates several prior findings. For instance, in *each* of our three measures, one's gain was uncorrelated with one's level of conservatism. This supports prior work showing that participants' posttest GW acceptance gains are uncorrelated with their conservatism-level (e.g., Ranney & Clark, 2016; Velautham & Ranney, 2020); no backfire/polarization has been observed (van der Linden et al., 2017). This finding has been noted in more than ten prior ways in which brief interventions have been used to increase GW acceptance (e.g., Ranney et al., 2019, Senthilkumaran et al., 2023, and Velautham et al., 2019).

We also replicated (cf. van der Linden et al., 2015) that a scientific-consensus intervention (in this case, an explanatory text) can statistically significantly raise GW concern and acceptance. Furthermore, the carbon-cycle control group, as predicted, showed *no* significant gains; this, combined with various other null results—along with the significant results from the open-faced diLoopy condition—indicates that there was no evidence of experimenter demand (which, in turn, further supports the sandwich-diLoopy gains' validity).

Our text about the negative impact on human thinking abilities caused by CO<sub>2</sub> levels that Earth's air may surpass in coming decades makes the issue of rising CO<sub>2</sub>, albeit an unseen and unfelt gas, more personal and immediate. The diLoopy text challenges people with a direct, individuallevel, consequence of CO<sub>2</sub> release: cognitive risk. Being able to add concern about rising CO2 and GW, without even mentioning GW, offers a fruitful way to raise climate change concern/acceptance that seems fresh and compelling. The diLoopy text's alarm gives readers a new alternative reason both to care about anthropogenic CO2 releases and to support CO<sub>2</sub>-limiting actions—without requiring knowledge or even acceptance of GW. Although we hardly recommend prioritizing it in general, for some people/contexts, it may even be easier to boost concerns about rising atmospheric CO<sub>2</sub>'s ill effects by explaining these cognitive repercussions than by explaining GW (e.g., its mechanism) itself.

As climatology, cognitive science, and other fields continue to discern the many ways that climate change drastically negatively impacts Earth and its species (e.g., us), it is crucial to continue to develop ways to effectively communicate these impacts to the public. Misinformation and climate change denial are massively detrimental to taking the actions needed to curb global warming; however, changing minds is obviously possible, if not easy—especially when the how's and why's of climate science are made clear.

#### **Limitations/Contextualizations**

We note three salient limitations. First, U.S. participants were used because Americans: are numerous, have large carbon footprints, and are more likely to deny GW than people in most peer nations (Capstick et al., 2015; Ranney, 2012). Trans-national follow-up studies (and using multiple, diverse sampling services) would better address representativeness.

Second and more practically, the diLoopy text might be best used in combination with other brief ways that have been shown to boost GW acceptance and concern. (See Ranney &

Velautham, 2021, and Senthilkumaran et al., 2023, for 11 other ways; our lab's HowGlobalWarmingWorks.org public outreach site also offers some). Although the text (see Appendix) yielded a hefty 47% of the possible gain from the pretest baseline for the CO<sub>2</sub>-cognition-concern measure, that fell to 20% for the GW-concern measure (which may be of the most immediate societal importance). Several other interventions have shown a 30%-of-possible (or more) GW gain (e.g., using GW's mechanism, Earth's-temperature graphs, or germane statistics; Ranney et al., 2019)—as did the present study's consensus text. Therefore, although the diLoopy text adds value re GW belief revision, if there were time for only one intervention, some others seem superior to it—at least for the *general* public. However, even in isolation, the diLoopy text may be useful for those who most fervently deny GW because it provides a strange-bedfellows way to increase concern for CO2 that is technically unrelated to GW (i.e., cognition-impairing vs. warming-producing). Future research can assess these questions, but strange-bedfellow appeals are often useful. After all, many people who are unconcerned about climate change install solar panels for non-GW reasons (e.g., lower electricity bills, social signaling, resale value, or electrical-grid independence).

A third limitation regards assessing the diLoopy text's *longevity* in boosting people's GW acceptance/concern—as well as people's (general *or* cognitive) concerns about human-caused-CO<sub>2</sub>. No delayed posttest was used, so we do not just assume that noted gains in acceptance and concerns were long-lasting. However, our group's past studies often used similar interventions, and when we assessed participants after a (usually nine-day) delay, the enhanced posttest attitudes—and understandings of the scientific information (e.g, mechanisms or statistics) that had been presented—remained (e.g., Ranney & Clark, 2016; Ranney et al., 2019). These findings also held up with a more extensive intervention (i.e., a longer scientific explanation of GW's mechanics, plus supporting statistics) and a much longer, 34-day, delay before re-testing (Ranney & Clark, 2016).

#### **Conclusions**

In essence, this experiment asks the practical question, "Is there a non-climate way to raise concern about GW and rising CO<sub>2</sub> levels?" Our results show that the answer is "yes." In particular, we found that a "carbon diLoopy" text explaining that rising CO<sub>2</sub> concentrations can harm one's thinking yielded gains in participants' (1) concern about those cognitive effects, (2) concern about CO<sub>2</sub> in general, and (3) concern about global warming. These results are supported by (a) findings that the effects are not due to experimenter demand, (b) a replicative-comparative group using a text about GW's scientific consensus, and (c) a null-result control group using a text about the carbon cycle. Finally, no backfire/polarization effect was found, as every gain was uncorrelated with conservatism.

With carbon diLoopy, our lab has now shown 12 brief ways by which people's GW acceptance/concern can be increased (Ranney & Velautham, 2021; Velautham, 2022).

Some, with various translations, are available at our popular public-outreach site, HowGlobalWarmingWorks.org.

#### Appendix: Thinking ("DiLoopy") Text

Carbon dioxide (CO<sub>2</sub>) is toxic to humans at high concentrations, creating a condition known as hypercapnia, which can result in death. Even at more moderate CO<sub>2</sub> concentrations, studies find that breathing air with elevated CO<sub>2</sub> can have a negative impact on a person's reasoning and mental abilities. There is a growing body of scientific evidence pointing to CO<sub>2</sub> as a pollutant with direct detrimental impacts on the cognitive functioning of humans in schools and offices, where concentrations of CO<sub>2</sub> are often highest.

One study has even argued that modestly elevated concentrations of atmospheric CO<sub>2</sub> can cause acidosis (more acidic blood) in humans, leading to symptoms like restlessness and mild hypertension, and eventually sleepiness and confusion. Another study has found that elevated CO<sub>2</sub> can cause people's decision-making performance to fall to scores considered marginal and even dysfunctional.

Studies find that the negative impacts of CO<sub>2</sub> exposure increase in severity as the concentration of CO<sub>2</sub> increases in the atmosphere. CO<sub>2</sub> levels are typically higher in enclosed spaces with insufficient ventilation, and this can result in a reduced attention span and a lower test performance. Current atmospheric CO<sub>2</sub> levels are about 410 parts per million (ppm), up from a preindustrial value of 280 ppm, and this number is constantly increasing, primarily due to the burning of fossil fuels (coal, oil, and gas). By the end of the century, the atmospheric CO<sub>2</sub> concentration could be as high as 1,000 ppm, making it impossible to get a "breath of fresh air."

Within enclosed spaces, CO<sub>2</sub> is even more concentrated than it is in the atmosphere because the exhaled gas from breathing contributes to the concentration. This is especially worrying as city-dwellers spend approximately 90% of their days indoors. According to one study, "atmospheric carbon dioxide concentrations are reaching levels never experienced by Homo sapiens" and "future carbon emissions will increase indoor concentrations to levels harmful to human cognition."

According to the National Oceanic and Atmospheric Administration, "Human activities have a tremendous impact on the carbon cycle. Burning fossil fuels, changing land use, and using limestone to make concrete all transfer significant quantities of carbon into the atmosphere. As a result, the amount of carbon dioxide in the atmosphere is rapidly rising; it is already considerably greater than at any time in the last 800,000 years." Scientists warn that if humans continue emitting CO<sub>2</sub> into the atmosphere at current rates, it will become increasingly difficult to manage the negative health and mental effects of elevated CO<sub>2</sub>.

It is possible that, as CO<sub>2</sub> levels continue to increase, the diminishment of human cognitive abilities will also become more pronounced. One study concludes that the best way to prevent this hidden consequence of increasing atmospheric CO<sub>2</sub> is to reduce fossil-fuel emissions.

#### References

- Allen, J. G., MacNaughton, P., Satish, U., Santanam, S., Vallarino, J., & Spengler, J. D. (2016). Associations of cognitive function scores with carbon dioxide, ventilation, and volatile organic compound exposures in office workers: A controlled exposure study of green and conventional office environments. *Environmental Health Perspectives*, 124, 805–812.
- Azuma, K., Kagi, N. Y. U., & Osawa, H. (2018). Effects of low-level inhalation exposure to carbon dioxide in indoor environments: A short review on human health and psychomotor performance. *Environment International*, 121(1), 51-56.
- Ballew, M. T., Leiserowitz, A., Roser-Renouf, C., Rosenthal,
  S. A., Kotcher, J. E., Marlon, J. R., Lyon, E., Goldberg, M.
  H., & Maibach, E. W. (2019). Climate change in the
  American mind: Data, tools, and trends. *Environment:*Science and Policy for Sustainable Development, 61(3), 4-18.
- Capstick, S., Whitmarsh, L., Poortinga, W., Pidgeon, N., & Upham, P. (2015). International trends in public perceptions of climate change over the past quarter century. *Wiley Interdisciplinary Reviews: Climate Change*, 6(1), 35-61.
- Coley, D. A., Greeves, R., & Saxby, B. K. (2007). The effect of low ventilation rates on the cognitive function of a primary school class. *International Journal of Ventilation*, 6(2), 107-112.
- Collins, M., Knutti, R., Arblaster, J., Dufresne, J. L., Fichefet, T., Friedlingstein, P., Gao, X., Gutowski, W. J., Johns, T., Krinner, G., & Shongwe, M. et al. (2013). Long-term climate change: Projections, commitments and irreversibility. In *Climate Change 2013: The Physical Science Basis. Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change* (Eds. T. F. Stocker, D. Qin, G.-K. Plattner, M. Tignor, S. K. Allen, J. Boschung, A. Nauels, Y. Xia, V. Bex & P.M. Midgley). Cambridge University Press, Cambridge, UK, and New York.
- Fernbach, P. M., Rogers, T., Fox, C. R., & Sloman, S. A. (2013). Political extremism is supported by an illusion of understanding. *Psychological Science*, *24*, 939-946.
- Fisk, W., Wargocki, P., & Zhang, X. (2019). Do indoor CO<sub>2</sub> levels directly affect perceived air quality, health, or work performance? *ASHRAE Journal* September 2019, 70-77.
- Griffiths, M., & Eftekharib, M. (2008). Control of CO<sub>2</sub> in a naturally ventilated classroom. *Energy and Buildings*, 40(4), 556-560.
- Gruenwald, T., Seals, B. A., Knibbs, L. D., & Hosgood III, H. D. (2023). Pollution attributable fraction of gas stoves and childhood asthma in the United States. *International Journal of Environmental Public Health*, 20 (1), 75.
- How Global Warming Works [Outreach website/web-pages]. (2013-2023). Ranney, M. A., & Lamprey, L. N. (Eds.). Available at https://www.HowGlobalWarmingWorks.org/
- IPCC. (2022). Climate Change 2022: Impacts, Adaptation and Vulnerability Working Group II Contribution to the

- Sixth Assessment Report of the Intergovernmental Panel on Climate Change. Intergovernmental Panel on Climate Change, Geneva, Switzerland.
- Jacobson, M. Z. (2010). Enhancement of local air pollution by urban CO<sub>2</sub> domes. *Environmental Science & Technology*, 44(7), 2497-2502.
- Jacobson, T. A., Kler, J. S., Hernke, M. T., Braun, R. K., Meyer, K. C., & Funk, W. E. (2019). Direct human health risks of increased atmospheric carbon dioxide. *Nature Sustainability*, 2, 691–701.
- Joslyn S., & Demnitz R. (2021) Explaining how long CO<sub>2</sub> stays in the atmosphere: Does it change attitudes toward climate change? *Journal of Experimental Psychology: Applied*, *27*(3), 473–484. http://dx.doi.org/10.1037/xap0000347.
- Kajtar, L., & Herczeg, L. (2012). Influence of carbon-dioxide concentration on human well-being and intensity of mental work. *Quarterly Journal of the Hungarian Meteorological Service*, 116(2), 145-169.
- Lebel, E. D., Finnegan, C. J., Ouyang, Z., & Jackson, R. B. (2022). Methane and NO<sub>x</sub> emissions from natural gas stoves, cooktops, and ovens in residential homes. *Environmental Science & Technology*, 56(4), 2529–2539.
- Lewandowsky, S., Gignac, G. E., & Vaughan, S. (2013). The pivotal role of perceived scientific consensus in acceptance of science. *Nature Climate Change*, *3*, 399-404.
- McFarland, M. J., Hauer, M. E., & Reuben, A. (2022). Half of US population exposed to adverse lead levels in early childhood. *Proceedings of the National Academy of Science*, 119(11), e2118631119.
- Lord, C. G., Ross, L., & Lepper, M. R. (1979). Biased assimilation and attitude polarization: The effects of prior theories on subsequently considered evidence. *Journal of Personality and Social Psychology*, 37(11), 2098-2109.
- NASA. (2023). Carbon dioxide hits new high. *Climate Change: Vital Signs of the Planet*. https://climate.nasa.gov/climate\_resources/7/graphic-carbon-dioxide-hits-new-high/
- Ranney, M.A. (2012). Why don't Americans accept evolution as much as people in peer nations do? A theory (Reinforced Theistic Manifest Destiny) and some pertinent evidence. In K. S. Rosengren, S. K. Brem, E. M. Evans, & G. M. Sinatra (Eds.) Evolution challenges: Integrating research and practice in teaching and learning about evolution (pp. 233-269). Oxford: Oxford University Press.
- Ranney, M. A., & Clark, D. (2016). Climate change conceptual change: Scientific information can transform attitudes. *Topics in Cognitive Science*, 8(1), 49-75. <a href="https://doi.org/10.1111/tops.12187">https://doi.org/10.1111/tops.12187</a>.
- Ranney, M. A., Clark, D., Reinholz, D. L., & Cohen, S. (2012). Changing global warming beliefs with scientific information: Knowledge, attitudes, and RTMD (Reinforced Theistic Manifest Destiny Theory). In N. Miyake, D. Peebles, & R. P. Cooper (Eds.), *Proceedings of the 34th Annual Meeting of the Cognitive Science Society* (pp. 2228-2233). Austin, TX: Cognitive Science Society.

- Ranney, M. A., Munnich, E. L., & Lamprey, L. N. (2016). Increased wisdom from the ashes of ignorance and surprise: Numerically-driven inferencing, global warming, and other exemplar realms. In B. H. Ross (Ed.), *The psychology of learning and motivation*, 65, 129-182. New York: Elsevier. https://doi:10.1016/bs.plm.2016.03.005
- Ranney, M. A., Shonman, M., Fricke, K., Lamprey, L. N., & Kumar, P. (2019). Information that boosts normative global warming acceptance without polarization: Toward J. S. Mill's political ethology of national character. In D. A. Wilkenfeld & R. Samuels (Eds.) *Anthology on the experimental philosophy of science* (pp. 61-96). (In Bloomsbury's Advances in Experimental Philosophy series.) New York: Bloomsbury.
- Ranney, M. A., & Velautham, L. (2021). Climate change cognition and education: Given no silver bullet for denial, diverse information-hunks increase global warming acceptance. *Current Opinion in Behavioral Sciences*, 42, 139-146. https://doi.org/10.1016/j.cobeha.2021.08.001
- Romps, D. M., & Retzinger, J. P. (2019). Climate news articles lack basic climate science. *Environmental Research Communications*, 1(8), 081002. doi: 10.1088/2515-7620/ab37dd
- Satish U., Mendell M. J., Shekhar K., Hotchi T., Sullivan D., Streufert S., & Fisk W. J. (2012). Is CO<sub>2</sub> an indoor pollutant? Direct effects of low-to-moderate CO<sub>2</sub> concentration on human decision-making performance. *Environmental Health Perspectives*, 120(12), 1671-1677.
- Scripps Institution of Oceanography. (2022). A daily record of global atmospheric carbon dioxide concentration. University of California, San Diego.
- https://scripps.ucsd.edu/programs/keelingcurve/
- Scully, R. R., Basner, M., Nasrini, J., Lam, C. W., Hermosillo, E., Gur, R. C., Moore T., Alexander D. J., Satish, U., & Ryder, V. E. (2019). Effects of acute exposures to carbon dioxide on decision making and cognition in astronaut-like subjects. Npj *Microgravity*, 5(1), 17.
- Senthilkumaran, A., Velautham, L., & Ranney, M. A.. (2023). Explanatory refutation texts increase epistemic trust in climate scientists and anthropogenic global warming acceptance. (In press:) *Proceedings of the International Society of the Learning Sciences*.
- Seppänen, O. A., Fisk, W. J., & Mendell, M. J. (1999). Association of ventilation rates and CO<sub>2</sub> concentrations with health and other responses in commercial and institutional buildings. *Indoor Air*, 9(4), 217-296.
- Shendell, D. C., Prill, R., Fisk, W. J., Apte, M. G., Blake, D. & Faulkner, D. (2004). Associations between classroom CO<sub>2</sub> concentrations and student performance. *Indoor Air*, 14(5), 333-341.
- Thacker, I., & Sinatra, G. M. (2022). Supporting climate change understanding with novel data, estimation instruction, and epistemic prompts. *Journal of Educational Psychology*, *114*(5), 910–927.
  - https://doi.org/10.1037/edu0000729

- United States Environmental Protections Agency. (2000). Healthy buildings, healthy people: A vision for the 21st century. *Office of Air and Radiation*.
- van der Linden, S. L., Leiserowitz, A. A., Feinberg, G. D., & Maibach, E. W. (2014). How to communicate the scientific consensus on climate change: Plain facts, pie charts or metaphors? *Climatic Change*, *126*(1-2), 255-262.
- van der Linden, S. L., Leiserowitz, A. A., Feinberg, G. D., & Maibach, E. W. (2015). The scientific consensus on climate change as a gateway belief: Experimental evidence. *PloS One*, 10:e0118489.
- van der Linden, S., Maibach, E., Cook, J., Leiserowitz, A., Ranney, M., Lewandowsky, S., Arvai, J., & Weber, E. (2017). Culture vs. cognition is a false dilemma. *Nature Climate Change*, 7, 457.
- Velautham, L. (2022). Four short experimental interventions that increase hope about humans' ability to solve climate change. Unpublished doctoral dissertation, University of California, Berkeley.
- Velautham, L., & Ranney, M. A. (2020). Global warming, nationalism, and reasoning with numbers: Toward techniques to promote the public's critical thinking about statistics. In S. Denison, M. Mack, Y. Xu, & B. C. Armstrong (Eds.), *Proceedings of the 42nd Annual Meeting of the Cognitive Science Society* (pp. 1834-1840). Cognitive Science Society.
- Velautham, L., Ranney M. A., & Brow, Q. S. (2019). Communicating climate change oceanically: Sea level rise information increases mitigation, inundation, and global warming acceptance. *Frontiers in Communication*, 4(7), 1-17. https://doi.org/10.3389/fcomm.2019.00007
- Xu, F., Uh, J., Brier, M. R., Hart, Jr., J., Yezhuvath, U. S., Gu, H., Yang, Y., & Lu, H. (2011). The influence of carbon dioxide on brain activity and metabolism in conscious humans. *Journal of Cerebral Blood Flow and Metabolism*, 31(1), 58-67.

#### **Acknowledgments**

Above all, we thank David Romps, who was hugely formative, instrumental, facilitative, and wise regarding this research—including many aspects of its conception, funding, early analyses, and initial exposition. We also thank Leela Velautham for her help in the planning/implementation of the experiment, its data analyses, and its exposition. Abhirami Senthilkumaran kindly assisted in later statistical analyses and exposition. Alexandra Feldman performed a highly valuable analysis of prior research on CO<sub>2</sub>'s cognitive effects and helped draft our intervention text. We also offer gratitude to the following for their expository comments and suggestions: the Reasoning Research Group at the University of California, Berkeley—as well as Lloyd Goldwasser, Lee Nevo Lamprey, Michelle Million, Larry Hamel, Patricia Schank, Aditya Ranganathan, Jacob Barton, Laleh Coté, Brendan Henrique, Nina Pak, Deniz Demirbilek, Maggie Zhang, Prakamya Agrawal, Emily Harrison, Claudia Navarro Corona, Kunal Singh, Sean Li, Sean Perez, Jan Urban, Kathryn Hund, Ed Munnich, and three anonymous Cognitive Science proceedings reviewers (plus at least one metareviewer). Finally, we appreciate discretionary faculty research funding from the University of California, Berkeley.

### **UC Merced**

# **Proceedings of the Annual Meeting of the Cognitive Science Society**

#### **Title**

CO2 as "Carbon DiLoopy:" Boosting People's Global Warming Acceptance and Concern by Explaining CO2's Cognitive Effects

#### **Permalink**

https://escholarship.org/uc/item/98j1s58b

#### Journal

Proceedings of the Annual Meeting of the Cognitive Science Society, 45(45)

#### **Authors**

Kihiczak, Alex Ranney, Michael

#### **Publication Date**

2023

Peer reviewed